



SEQUENCE LISTING

<110> Kaelin, William G

<120> In Vivo Imaging of E2F-Regulated Bioluminescent Proteins

<130> 20363-013 NATL

<140> 10/533,839

<141> 2006-03-14

<150> PCT/US2003/035282

<151> 2003-11-04

<150> 60/423,673

<151> 2002-11-04

<160> 5

<170> PatentIn version 3.4

<210> 1

<211> 269

<212> DNA

<213> Homo sapiens

<400> 1

ggtaccatcc ggacaaagcc tgcgcgcgcc ccgcggccgc attggccgta ccgcggccgc 60

ccgcggccgc atctcgcccc tcgcccgggt gtccggcgcg ttaaagccaa taggaaccgc 120

cggcgttgtt cccgtcacgg ccggggcagc caattgtggc ggcgctcgcc ggctcggtgc 180

tcttcgcgg caaaaaggat ttggcgcgta aaagtggccg ggactttgca ggcagcggcg 240

gccggggcg gagcgggatc gagccctcg 269

<210> 2

<211> 8

<212> DNA

<213> Artificial sequence

<220>

<223> responsive element consensus sequence

<400> 2

tttssscgs

8

<210> 3

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> responsive element consensus sequence

```
<220>
<221> misc_feature
<222> (9)..(9)
<223> Wherein n is absent or is any nucleotide
```

```
<400> 3
tttsscgsnt ttsscgs
```

17

```
<210> 4
<211> 26
<212> DNA
<213> Artificial sequence
```

```
<220>
<223> responsive element consensus sequence
```

```
<220>
<221> misc_feature
<222> (9)..(9)
<223> Wherein n is absent or is any nucleotide
```

```
<220>
<221> misc_feature
<222> (18)..(18)
<223> Wherein n is absent or is any nucleotide
```

```
<400> 4
tttsscgsnt ttsscgsnt tsscgs
```

26

```
<210> 5
<211> 35
<212> DNA
<213> Artificial sequence
```

```
<220>
<223> responsive element consensus sequence
```

```
<220>
<221> misc_feature
<222> (9)..(9)
<223> Wherein n is absent or is any nucleotide
```

```
<220>
<221> misc_feature
<222> (18)..(18)
<223> Wherein n is absent or is any nucleotide
```

```
<220>
<221> misc_feature
<222> (27)..(27)
<223> Wherein n is absent or is any nucleotide
```

<400> 5
tttsscgsnt ttsscgsntt tsscgsnttt sscgs

35